PUSHPAK

WE MAKE IT POSSIBLE

MAKE IN INDIA

Skill Series

Industrial Solutions

- Cabinets
- Work Stations
- Work Benches & Tables
- Storage Cabinets & Cupboards



Pushpak Products India Pvt Ltd

SINCE 1992

PUSHPAK

WE MAKE IT POSSIBLE

Company Overview

Starting 1992, Pushpak has been designing, manufacturing and delivering high-end precision products and services for the Aerospace, Defence, Automobile, Industrial and Institutional sectors.

Our products range from precision sheet metal and machining components, toolings, electrochemical processes, ground handling equipment (GHE), ground support units/equipments(GSU), indigenisation of Defence and Aerospace components based on customer requirements.

Plant at BIDADI

Pushpak Techno Park, Plot No. 22 E1 & E2, Bidadi Industrial Area, Bengaluru

Aerospace Technopark

Pushpak Aerospace Park coming up at Devanahalli, Bengaluru

Mission & Vision

To delight our customers with our products and services, delivered using superior technology, constant innovation, and realized human potential.

Core Values

- Trust
- Ownership
- Result - Oriented
- Excellence
- Passion
- Team work
- Innovation

Partners in Business

1. Work Stations Series .... Page No 4 – 22

2. Cabinets Series 23 – 27

3. Work Benches & Tables Series 28 – 39

4. Storage Cabinets & Cupboards 40 – 50

Heavy Duty Work Station

Series P - HDWS

PUSHPAK

-Heavy duty workstation with 1 Cabinet and 5 Drawers and central Locking
-Multipurpose back Panel with Cabinet and Container Boxes
-Plywood top : 2000mm x 800mm x 40mm
-Bench Leg with Power fittings
-Overall Dimension: 2000mm(L) x800mm(D) x 850/2120mm(H)

- Support Columns with both side dual slots Height 1240 mm for 4 Panels set
- Load Capacity = 50 Kg
- 3 Carrier arms
- Aluminum slide track L = 2000 mm, Depth 750 mm

D Support Columns & Carrier Arms

- Cabinet fixed with Perforated panel
- 2 Numbers
- Individual dimensions : 952 x 210 x 810 h mm
- Usable Dimensions : 905 x 150 x 580 h mm

E Cabinet

- Equipped for fixing the support columns with both side dual slots in size 975 x 300 h mm
- 8 Panels are fixed
- Load capacity = 25 Kg

F Perforated Panel

- Polypropylene

G Storage Containers

A Cabinet with Drawers

- 5 Drawers
- 565 x 725 x 800 h mm
- Each Drawer load bearing 60 kg UDL
- Integrated with Anti-Tilt mechanism in order to prevent accidental Toppling

B Plywood Worktop

- 2000 x 800 x 40 h mm
- Non Deformable
- Load and Wear resistant

C Bench Leg with Power fittings

- Enclosed with Electrical system
- Side Door with Cylinder lock
- All Electric/ or Pneumatic systems cab be fixed.



Choose Your Configuration

HDWB0-2400

Order no	P-HDWB0-2400
Dimension(mm)	L = 2400, D = 800, H = 840
Features	No Accessories
Load Capacity	1000 Kg

HDWB1-2000

Order no	P-HDWB1-2000
Dimension(mm)	L = 2000, D = 800, H = 850
Features	No Accessories
Load Capacity	1000 Kg

HDWB2-2400

Order no	P-HDWB2-2400
Dimension(mm)	L = 2400, D = 800, H = 850
Features	Bench Leg with Power fittings
Load Capacity	1000 Kg

HDWB3-2000

Order no	P-HDWB3-2000
Dimension(mm)	L = 2000, D = 800, H = 850
Features	No Accessories
Load Capacity	1000 Kg

HDWT0-2400

Order no	P-HDWT0-2400
Dimension(mm)	L = 2400, D = 800, H = 840
Features	Plywood Work top (2400 x 800x 40 mm) 1 Cabinet with 3 Drawers
Load Capacity	Each Drawer : 60 Kg UDL

HDWT1-2000

Order no	P-HDWT1-2000
Dimension(mm)	L = 2000, D = 800, H = 840
Features	Plywood Work top (2000 x 800x 40 mm) 1 Cabinet with 3 Drawers
Load Capacity	Each Drawer : 60 Kg UDL

50 -T
100 -T
150 -T

HDWT2-2400

Order no	P-HTWT 2-2400
Dimension(mm)	L = 2400, D = 800, H = 750/1150
Features	Multiplex Work top (2400 x 800x 50 mm) 1 Cabinet with 3 Drawers 1 Cabinet with 3 Drawers Adjustable Bench Legs
Load Capacity	Each Drawer : 60 Kg UDL

HDWT3-2000

Order no	P-HTWT 3-2000
Dimension(mm)	L = 2000, D = 800, H = 750/1150
Features	Multiplex Work top (2000 x 800x 50 mm) 1 Cabinet with 3 Drawers 1 Cabinet with 3 Drawers Adjustable Bench Legs
Load Capacity	Each Drawer : 60 Kg UDL

WT0-2400

Order no	P-WT 0-2400
Dimension(mm)	L = 2400, D = 800, H = 850
Features	**Plywood Work Top(2500x800x40mm)** **Cabinet with 4 drawers** **1 Cabinet with SLAP Door**
Load Capacity	Each Drawer : 60 Kg UDL Plywood worktop :1000 kg

WT3-2000

Order no	P-WT3-2000
Dimension(mm)	L = 2000 D = 800, H = 850
Features	**Plywood Work Top(2500x800x40mm)** **Cabinet with 4 drawers** **1 Cabinet with SLAP Door**
Load Capacity	Each Drawer : 60 Kg UDL Plywood worktop :1000 kg

WT1-2400

Order no	P-WT1-2400
Dimension(mm)	L = 2400, D = 800, H = 850
Features	**Plywood Work Top(2500x800x40mm)** **1 Cabinet with SLAP Door** **2 Bench Legs**
Load Capacity	Each Drawer : 60 Kg UDL Plywood worktop :1000 kg

WT4-2000

Order no	P-WT4-2000
Dimension(mm)	L = 2000 D = 800, H = 850
Features	**Plywood Work Top(2500x800x40mm)** **1 Cabinet with SLAP Door**
Load Capacity	Each Drawer : 60 Kg UDL Plywood worktop :1000 kg

WT2-2400

Order no	P-WT2-2400
Dimension(mm)	L = 2400, D = 800, H = 850
Features	Plywood Work top (2400 X 800 X 40 mm) 1 Cabinet with 5 Drawers 1 Bench leg with Power fittings
Load Capacity	Each Drawer : 60 Kg UDL Plywood worktop :1000 kg

WT5-2000

Order no	P-WT5-2000
Dimension(mm)	L = 2000, D = 800, H = 850
Features	Plywood Work top (2000 X 800 X 40 mm) 1 Cabinet with 5 Drawers 1 Bench leg with Power fittings
Load Capacity	Each Drawer : 60 Kg UDL Plywood worktop :1000 kg

Cabinet with Drawer options

CD1-800

Order no	P-CD1-800
Dimension(mm)	550 x 725 x 800 H
Features	4 Drawers Anti Tilt mechanism
Load Capacity	Each Drawer: 60 Kg UDL

CD2-800

Order no	P-CD2-800
Dimension(mm)	565 x 725 x 800 H
Features	5 Drawers Anti Tilt mechanism Central locking
Load Capacity	Each Drawer: 60 Kg UDL

CD3-800

Order no	P-CD3-800
Dimension(mm)	565 x 725 x 800 H
Features	1 Drawer Anti Tilt mechanism 1 SLAP Door
Load Capacity	Each Drawer: 60 Kg UDL

Wall mount Cabinet



RSC0

Order no	P-RSC0
Dimension(mm)	
Individual	952 x 210 x 810 H
Load Capacity	905 x 150 x 580 H

RSC1

Order no	P-RSC1
Dimension(mm)	
Individual	952 x 210 x 1115 H
Load Capacity	905 x 150 x 885 H

Perforated Panel



PRP0-975

Order no	P-PRP0-975
Dimension(mm)	952 x 2
Load Capacity	25 Kg

Color Options

RAL 2008
RAL 7016

RAL 5012
RAL 7035

Work Station

Series P - WKS

-Workstation with 1 Cabinet
-Multi purpose back panel
-Work top with frame : 2050 mm X 720 mm X 30 mm
-Tilting shelves and Swivel arm
-Overall dimension : 2050 mm (L) X 720 mm (D) X 1800 mm (H)

D Foot rest with Rubber

- 950 mm L x 35 mm H
- Load Capacity : 50 Kg UDL
- Height adjustable every 40 mm

E Tilting Shelves

- 975 x 300 mm H
- Usable Length = 1950 mm
- Height adjustable every 40 mm

F Perforated Back Panel

A Work top with frame

- 2050 x 720 x 1800 mm(H)
- PlyWood 40 mm Thick
- Mounted on Galvanized extensible supports

B Cabinet

- 420 x 675 x 790 H mm
- Wheel diameter : 100 mm
- 1 Drawer : H= 75 mm
- 1 Leaf Door : H= 400 mm
- 100 % retractable shelf
- Load Capacity Drawer = 100 Kg
- Load Capacity Shelf = 100 Kg

C Single sided base frame

- 1970 x 720 x 1770mm(H)

WKS0-2050

Order no	P-WKS0-2050
Dimension (mm)	Overall dimension : L = 2050 , D = 720 , H = 1800 , Work top dimension : 2050 x 720 x 40 h
Complete with	Perforated Panels, Shelves, Footrest, Chair, Cabinet with Wheels, Chair
Not Included	Electrical systems, Lamps, Tools, Hooks and Electrical tools

Cabinet with Drawer options

MCD0-430

Order no	P-MCD0-430
Dimension(mm)	430 L x 675 D x 790 H mm
Features	5 Drawers Anti Tilt mechanism Central Locking Heavy duty slides 2 Fixed wheel : F 100 mm 2 Swivel Caster wheel : F 100 mm
Load Capacity	Cabinet :UDL 170 Kgs Each Drawer: UDL 70 Kgs

CMCD1-420

Order no	P-MCD1-420
Dimension(mm)	420 L x 675 D x 790 H mm
Features	1 Drawers 1 leaf Door with Lock Within the door 1 retractable shelf 2 Fixed wheel : F 100 mm 2 Swivel Caster wheel : F 100 mm
Load Capacity	Cabinet :UDL 170 Kgs Each Drawer: UDL 70 Kgs

Work top with Frame

WKWF0-2050

Order no	P-WKWF0-2050
Dimension(mm)	L = 2050 , D = 720, H = 1800
Complete with	2 Tilting shelves, 950 L x 35 H mm 6 Perforated Back panels 1 Work to, 205 x 720 x 30 H mm

Perforated Panel



PRP0-975

Order no	P-PRP0-975
Dimension(mm)	952 x 2
Load Capacity	25 Kg

Footrest with Rubber

WKWF-FR0-975

Order no	P-WKWF-FR0-975
Dimension(mm)	L = 975 , D = 350 , H = 79

Adjustable Chair

WKWF-AC0-670

Order no	P-WKWF-AC0-670
Dimension(mm)	Height : From 495 mm to 670 mm

Color Options

RAL 2008
RAL 7016

RAL 5012
RAL 7035

Work Station
Series P - WKS

-Work Station overall Dimension : 2000 mm L x 800 mm D x 880/1515 H mm
-Steel Workstation with 2 Cabinets
- Multipurpose Back Panel
- Carrier Arms and Legs
- Lower Shelf

A Multipurpose Back Panel

- 970 x 300 h mm, 4 panels
- Load Capacity : 25 Kg

B Support Columns

- Height 630 mm, 2 panels
- Load Capacity : 50 Kg

C Steel Worktop

- 2000 x 800 x 60 h mm
- Work top Load Capacity : 2000 Kg

D Cabinet 1 & 2

- Drawer : 565 x 725 x 255 h mm
- Normal Extension type (87 %)
- Drawer Load Capacity : 60 Kg
- Cabinet 1: Drawer H = 200 mm
- Cabinet 2: Drawer H = 50 mm, 1 No
  Drawer H = 100mm, 1 No

E Lower Shelf

- 2000 x 665 x 50 h mm
- Load Capacity : 350 Kg

F Bench Legs

WKS1-2000

Order no	P-WKS1-2000
Dimension(mm)	2000 L x 800 D x 850 / 1515 H mm
Features	2 Cabinets with Drawers Perforated Panels Lower Shelf Steel Work top
Load Capacity	Each Drawer 1: 60 Kg Lower Shelf : 350 Kg Worktop : 2000 Kg

Color Options

RAL 2008

RAL 7016

RAL 5012

RAL 7035

Heavy Duty Work Station

Series P - HDWS



-Work Station overall Dimension : 2000 mm L x 800 mm D x 880/1515 H mm
-Steel Workstation with 2 Cabinets
- Multipurpose Back Panel
- Carrier Arms and Legs
- Lower Shelf



A Support Columns

- Height : 936 mm for 3panels set
- Load Capacity : 50 Kg

B Perforated Panel

- 1460 x 300 mm h
- 6 Perforated Panels
- Load Capacity : 25 Kg

C Plywood Worktop

- 3000 x 800 x 40 mm h
- Plywood

D Bench leg with Power Fittings

- Pneumatic system included
- Electric system included
- Easy accessible Side door

E Cabinet with Drawers

- Overall Dimension : 565 x 725 x 850 h mm
- 5 Drawers
- Normal Extension (87 %)
- Each Drawer Load Capacity : 60 Kg UDL
- Each Drawer Clear Drawer area: 450 L x 600 D mm
- Anti Tilt Mechanism

HDWS1-2400

Order no	P-HDWS1-2400
Dimension(mm)	3000 L x 800 D x 900 / 1830 H mm
Features	1 Cabinet with 5 Drawers Perforated Panels, Support Columns Bench leg with Power fittings Plywood Work top
Load Capacity	Each Drawer : 60 Kg UDL

Choose Your Configuration

WT6-2400

Order no	P-WT6-2400
Dimension(mm)	L = 2400, D = 800, H = 850
Features	Plywood work top (2400 x 800 x 40) 1 Cabinet with 5 Drawers Bench Leg with Power Fittings
Load Capacity	Each Drawer :60 Kg UDL

WT7-2400

Order no	P-WT7-2400
Dimension(mm)	L = 2400, D = 800, H = 850
Features	Plywood work top (2400 x 800 x 40) 1 Cabinet with 5 Drawers Bench Leg with Power Fittings
Load Capacity	Each Drawer :60 Kg UDL

WT8-2400

Order no	P-WT8-2400
Dimension(mm)	L = 2400, D = 800, H = 850
Features	Plywood work top (2400 x 800 x 40) 1 Cabinet with 5 Drawers
Load Capacity	Each Drawer :60 Kg UDL

Cabinet with Drawer options

CD1-800

Order no	P-CD1-800
Dimension(mm)	550 x 725 x 800 H
Features	4 Drawers Anti Tilt mechanism
Load Capacity	Each Drawer: 60 kg UDL

CD2-800

Order no	P-CD2-800
Dimension(mm)	565 x 725 x 800 H
Features	5 Drawers Anti Tilt mechanism Central locking
Load Capacity	Each Drawer: 60 kg UDL

CD3-800

Order no	P-CD3-800
Dimension(mm)	565 x 725 x 800 H
Features	1 Drawer 1 SLAP Door Anti Tilt mechanism
Load Capacity	Each Drawer: 60 kg UDL

CD4-850

Order no	P-CD4-850
Dimension(mm)	565 x 725 x 800 H
Features	5 Drawers
Load Capacity	Each Drawer: 60 kg UDL

Bench Leg with Power fittings

BLPF1-850

Order no	P-BLPF1-850
Dimension(mm)	565 x 725 x 850 H

Features

Pneumatic System:
1 fixed rear inlet with dia 10mm hose & connector(1/4") with pin (dia 9-12 mm)

1 fixed Front outlet with dia 10mm hose & connector(1/4") Connector Complete with plug

1 Fliter reducer with pressure gauge
Maximum pressure = 10.0 bar
Operating Pressure 6.3 bar

Perforated Panel



PRP0-975

Order no	P-PRP0-975
Dimension(mm)	952 x 2
Load Capacity	25 Kg

Bench leg

BL1=850

Order no	P-BL1-850
Dimension(mm)	80 x 715 x 850 H mm
Feature	Stiffener : Dimension 200 L x 736 D x 45 h mm

Color Options



RAL 2008
RAL 7016
RAL 7035

RAL 5012
RAL 7035

Heavy Duty Work Station

Series P - HDWS

-Heavy duty Workstation with 2 Cabinets and Bench leg with Power fittings
-Overall Dimension: 2400mm L x 800mm D x 900mm H
-Plywood Worktop: 2400mm x 800mm x 40mm
-Anti Tilt mechnism for Cabinet

HDWS3-2400

Order no	P-HDWS3-2400
Dimension(mm)	2400 L x 500 D x 900 mm
Features	1 Cabinet with 6 Drawers 1 Cabinet with 1 Drawer & 1 Door Bench Leg with 1 Drawer & 1 Door MultiPlex worktop
Load Capacity	Each Drawer :150 Kg UDL Plywood Worktable : 1000 Kgs

A Plywood worktop

- 2400 x 500 x 40 h mm
- Plywood
- Non - Deformable
- Load & Wear Resistant
- Load Capacity : 1000 Kg

B Bench leg with Power Fittings

- Pneumatic system included
- Electric system included
- Easy accessible Slide door

C Cabinet with Drawers : 1

- 6 Drawers
- Cabinet : 1100 x 725 x 850 mm H
- Linear Slide for Full Extension (100%) Each Drawer , Load Capacity: 150 Kg
- Anti Tilt mechanism

D Cabinet with Drawer & Door : 2

- 550 x 725 x 850 h mm
- Usable Height 750 mm
- 1 Drawer, H=125 mm
- 1 Reversible Door, H=600 mm

Choose Your Configuration

Cabinet with Drawer options

CD5-850

Order no	P-CD5-850
Dimension(mm)	550 x 725 x 850 H
Features	1 Drawer, 1 SLAP Door
Load Capacity	Each Drawer :60 Kg UDL

CD4-850

Order no	P-CD4-850
Dimension(mm)	565 x 725 x 850 H
Features	5 Drawers
Load Capacity	Each Drawer :60 Kg UDL

CD6-850

Order no	P-CD6-850
Dimension(mm)	565 x 1100 x 850 H
Features	5 Drawers
Load Capacity	Each Drawer :60 Kg UDL

Bench Leg with Power fittings

BLPF1-850

Order no	**P-BLPF1-850**
Dimension(mm)	565 x 725 x 850 H

Features

Pneumatic System :
1 fixed rear inlet with Φ 10 mm hose and connector (1/4”) with pin (Φ 9-12 mm).
1 fixed Front outlet with Φ 10 mm hose and 1/4” threaded Connector complete with plug.
1 Filter reducer with pressure gauge:
Maximum Pressure = 100 bar
Operating Pressure = 6.3 bar

Color Options

RAL 2008 RAL 7016

RAL 5012 RAL 7035

Mobile Work Station

Series P - MWS

-Mobile work Station overall Dimension : 1230 mm L x 700 mm D x 7915/1335 H mm H
-Caster wheels for effective Maneuverability
-Multiplex work top : 995 x 600 x 25 h mm
- 5 Drawers and 1Flap door construction
-Anti Tilt Mechanism
- Secure central Locking system
-Provided with Heavy Duty Caster wheels
-Heavy Duty Slides for Drawers

G Perforated Back Panel
- 1015 x 95 x 420 h mm
- It can be applied with MDF top

F Plywood Worktop
- 995 x 600 x 25 h mm
- Beech wood

E Drawers
- 75 mm H, 1 Numbers
- 100 mm H, 4 Numbers
- 100 % Telescopic Expansion
- Each Drawer, Load Capacity : UDL 200 Kg

D Central Locking system

C Flap Door

B Caster Wheels
- PU Rubber Wheel of Ø 150 mm
- 2 Swivel wheels with Brakes, 2 Fixed wheels

A Caster Wheels
- 1230 x 700 x 915 h mm
- Usable Height : 600 mm

MWS0-1230

Order no	P-MWS0-1230
Dimension(mm)	1230 L x 700 D x 915/335 H mm
Features	5 Drawers Anti Tilt mechanism, Central locking Heavy duty slides, Perforated Panel 2 Fixed wheel : Ø 150 mm 2 Swivel Caster wheel : Ø 150 mm
Load Capacity	Each Drawer :200 Kg UDL

Color Options

RAL 2008

RAL 7016

RAL 5012

RAL 7035

-Tool Storage Cabinet with Drawers.
-Integrated with Anti Tilt mechanism
-Drawers with Heavy Duty Telescopic Slides
-Secure Central locking system
-Overall dimension : 400 mm (L) X 600 mm (D) X 600 mm (H)

CD0-600

Order no	P-CD0-600
Dimension(mm)	400 x 600 x 600 H
Features	4 Drawers Anti Tilt mechanism Central locking Heavy duty slides
Load Capacity	Cabinet : 900 Kg UDL Each Drawer : 60 Kg UDL

CD1-800

Order no	P-CD1-800
Dimension(mm)	550 x 725 x 800 H
Features	4 Drawers Anti Tilt mechanism
Load Capacity	Each Drawer: 60 kg UDL

CD2-800

Order no	P-CD2-800
Dimension(mm)	565 x 725 x 800 H
Features	5 Drawers Anti Tilt mechanism Central locking
Load Capacity	Each Drawer: 60 kg UDL

CD3-800

Order no	P-CD3-800
Dimension(mm)	565 x 725 x 800 H
Features	1 Drawer 1 SLAP Door Anti Tilt mechanism
Load Capacity	Each Drawer: 60 kg UDL

CD4-850

Order no	P-CD4-850
Dimension(mm)	565 x 725 x 800 H
Features	5 Drawers
Load Capacity	Each Drawer: 60 kg UDL

Color Options

RAL 2008

RAL 5012

RAL 7016

RAL 7035

Mobile Cabinet

Series P - MCD

-Cabinet Overall Dimension : 430mm L x 675mm D x 790mm H
-5 number Drawers
-Heavy Duty Telescopic slides with 100% Extension Drawers
-Secure Central Locking System
-Heavy Duty Castor Wheels
-Total combined capacity -330 Kgs
Custom Configuration Avaiable

H Top Shelf
- Oil Resistant RUBBER Top
- Thickness : 20 mm

G Accessing Handle

F Central Locking

E Heavy Duty Slides
- Heavy Duty Telescopic slides
- Load Capacity : 70 Kg

D Caster Wheels
- PU Rubber Wheels of Ø 100 mm
- 2 Wheels : Fixed
- 2 Wheels : Swivel with Brakes

A Cabinet
- Overall Dimension : 430 L x 675 D x 660 H mm
- Telescopic 100% Extension
- Load Capacity : UDL of 70 Kg

B Drawers
- 5 Drawers
- Telescopic 100% Extension
- Load Capacity : UDL of 70 Kg

C Anti Tilt Mechanism
- To Prevent Accidental Toppling

Configurations

Cabinet with Drawer options

MCD0-430

Order no	P-MCD0-430
Dimension(mm)	430 L x 675 D x 790 H mm
Features	5 Drawers Anti Tilt mechanism Central Locking Heavy duty slides 2 Fixed wheel : F 100 mm 2 Swivel Caster wheel : F 100 mm
Load Capacity	Cabinet : 170 Kgs UDL Each Drawer: 70 Kg UDL

MCD1-420

Order no	P-MCD1-420
Dimension(mm)	420 L x 675 D x 790 H mm
Features	1 Drawers 1 leaf Door with Lock Within the door 1 retractable shelf 2 Fixed wheel : F 100 mm 2 Swivel Caster wheel : F 100 mm
Load Capacity	Cabinet : 170 Kgs UDL Each Drawer: 70 Kg UDL

- Partitioning set for Drawers

- Top with 3 edges with oil-resistant Rubber mat
- Black Color

Color Options

RAL 2008

RAL 7016

RAL 5012

RAL 7035

Heavy Duty Work Bench

Series P - HDWB

-Heavy duty Work Bench Overall dimension : 2400 mm (L) x 800 mm (D) x 850 mm (H)
-Plywood Work top : 2400 mm (L) x 800 mm (D) x 40 mm (H)
-Three pairs of Legs

A Plywood Worktop

- 2400 L x 800 D x 40 H mm
- Plywood
- Non Deformable
- Load & Wear resistant
- Load Capacity : 1000 Kg

B Bench Leg

- 80 L x 715 D x 800 H mm
- 3 sets of Bench leg

HDWB0-2400

Order no	P-HDWB0-2400
Dimension(mm)	2400 L x 800 D x 850 H mm

Multiplex worktop

MPWT1-2400

Order no	P-MPWT-2400
Dimension(mm)	2400 L x 800 D x 40 H mm
Feature	PlyWood Non Deformable , Load and Wear resistant
Load Capacity	1000 kg

Bench leg

BL1-850

Order no	P-BL1-850
Dimension(mm)	80 x 715 x 850 H mm
Feature	Stiffener : Dimension 200 L x 736 D x 45 h mm

Color Options

RAL 2008

RAL 7016

RAL 5012

RAL 7035

Heavy Duty Work Table

Series P - HDWT

-Plywood Work top
-Three pairs of Legs
-Cabinet Fixed with work top
-Overall dimension : 2500 mm (L) X 800 mm (D) X 840 mm (H)

HDWT0-2400

Order no	P-HDWT0-2400
Dimension(mm)	L = 2400, D = 800, H = 840
Features	Plywood Work top (2400 x 800x 40 mm) 1 Cabinet with 3 Drawers
Load Capacity	Each Drawer : 60 kg UDL



HDWT1-2000

Order no	P-HDWT1-2000
Dimension(mm)	L = 2000, D = 800, H = 840
Features	Plywood Work top (2000 x 800x 40 mm) 1 Cabinet with 3 Drawers
Load Capacity	Each Drawer : 60 kg UDL

Color Options

RAL 2008 RAL 7016

RAL 5012 RAL 7035

Heavy Duty Work Table

Series P - HDWT

-Plywood Work top
-Two Cabinets on both ends with Drawers
- Central lock for each cabinet
-Adjustable Bench Legs
-Overall dimension : 2500 mm (L) X 800 mm (D) X 750 / 1150 mm (H)

50 -T
100 -T
150 -T

HDWT2-2400

Order no	P-HDWT2-2400
Dimension(mm)	L = 2400, D = 800, H = 750/1150
Features	Plywood Work top (2400 x 800x 40 mm) 1 Cabinet with 3 Drawers 1 Cabinet with 3 Drawers Adjustable Bench Legs
Load Capacity	Each Drawer : 60 kg UDL

HDWT3-2000

Order no	P-HDWT3-2000
Dimension(mm)	L = 2000, D = 800, H = 750/1150
Features	Plywood Work top (2000 x 800x 40 mm) 1 Cabinet with 3 Drawers 1 Cabinet with 3 Drawers Adjustable Bench Legs
Load Capacity	Each Drawer : 60 kg UDL

Color Options

RAL 2008 RAL 7016

RAL 5012 RAL 7035

Work Table

Series P - WT

-Plywood Work top
-Two Cabinets on both ends with Drawer
-Central lock for each Cabinet
-Overall dimension : 2500 mm (L) X 800 mm (D) X 850 mm (H)

HT0-2400

Order no	P-WT0-2400
Dimension(mm)	L = 2500, D = 800, H = 850
Features	Plywood Work top (2400 X 800 X 40 mm) 1 Cabinet with 4 Drawers 1 Cabinet with SLAP Door
Load Capacity	Each Drawer :60 Kg UDL Plywood Worktable : 1000 Kgs

WT1-2400

Order no	P-WT1-2400
Dimension(mm)	L = 2500, D = 800, H = 850
Features	Plywood Work top (2400 X 800 X 40 mm) 1 Cabinet with SLAP Door 2 Bench legs
Load Capacity	Each Drawer :60 Kg UDL Plywood Worktable : 1000 Kgs

WT2-2400

Order no	P-WT2-2400
Dimension(mm)	L = 2500, D = 800, H = 850
Features	Plywood Work top (2400 X 800 X 40 mm) 1 Cabinet with 5 Drawers 1 Bench leg with Power fittings
Load Capacity	Each Drawer :60 Kg UDL Plywood Worktable : 1000 Kgs

WT3-2000

Order no	P-WT3-2000
Dimension(mm)	L = 2000 D = 800, H = 850
Features	Plywood Work top (2000 X 800 X 40 mm) 1 Cabinet with 4 Drawers 1 Cabinet with SLAP Door
Load Capacity	Each Drawer :60 Kg UDL Plywood Worktable : 1000 Kgs

WT4-2000

Order no	P-WT4-2000
Dimension(mm)	L = 2000 D = 800, H = 850
Features	Plywood Work top (2000 X 800 X 40 mm) 1 Cabinet with SLAP Door 1 bench leg
Load Capacity	Each Drawer :60 Kg UDL Plywood Worktable : 1000 Kgs

WT5-2000

Order no	P-WT5-2000
Dimension(mm)	L = 2000, D = 800, H = 850
Features	Plywood Work top (2000 X 800 X 40 mm) 1 Cabinet with 5 Drawers 1 Bench leg with Power fittings
Load Capacity	Each Drawer: 60 kg UDL Plywood Worktop : 1000Kgs

Cabinet with Drawer options



CD1-800

Order no	P-CD1-800
Dimension(mm)	550 x 725 x 800 H
Features	4 Drawers Anti Tilt mechanism
Load Capacity	Each Drawer: 60 kg UDL

CD2-800

Order no	P-CD2-800
Dimension(mm)	565 x 725 x 800 H
Features	5 Drawers Anti Tilt mechanism Central locking
Load Capacity	Each Drawer: 60 kg UDL

CD3-800

Order no	P-CD3-800
Dimension(mm)	565 x 725 x 800 H
Features	1 Drawer 1 SLAP Door Anti Tilt mechanism
Load Capacity	Each Drawer: 60 kg UDL

Color Options

RAL 2008 RAL 7016

RAL 5012 RAL 7035

Work Bench
Series P - WB

-Work bench with 3 Compartments
-Anti tilt mechanism
-Overall Dimension : 2000 mm L x 750 mm D x 860 mm H
-Plywood worktop : 2000 mm x 750 mm x 40 mm

Features

A Plywood worktop

- 2000 L x 750D x 40 H mm
- Plywood
- Load Capacity 1000 Kg

B Compartments

- 3 compartments , 1680 L x 630 D x 825 H mm
- Compartment Door : 500 x 600 h mm
- Cylinder lock and Two keys

WB0-2000

Order no	P-WB0-2000
Dimension(mm)	2000 L x 750 D x 860 H mm
Features	3 Compartment Anti Tilt mechanciam
Load Capacity	Multiplex worktop : 1000 Kg

Color Options

RAL 2008 RAL 7016

RAL 5012 RAL 7035

Koraput Inspection Table
Series KT

A Plywood Top

- only Plywood
- with 8 mm Phenolic Laminate
- Stainless Steel Cladding

B Drawers

- 2 Drawers
- Telescopic 100% Extension
- Load Capacity :
  UDL of 70 Kg



B Electrical Fitting

- 2 Electric Sockets
- Tube Light holder for inspection

K-TST01
Without electrical fitting

K-TST02
With electrical fitting

-Work bench/ Inspection Bench with 2 Compartments
-Overall Dimension : 1750 mm L x 800 mm D x 850 mm H
- With or without Electrical fitting
-Plywood Worktop 1750x 800x 40 mm
Plywood Woerktop

Configurations

With Phenolic Laminate
WK -PL01

with Stainless Steel Clading
WK- SS01



-Cabinet overall Dimension : 1195 mm L x 500 mm D x 1950 H mm
-Each Bays with 4 Locker units
-Legs to withstand up to 400 Kg UDL



A Cabinet

- Overall Dimension : 1195 L x 500 D x 1950 H mm
- 3 bays adjacent to each other

B Bays

- 3 bays
- Each Bay with 4 Lockers

C Lockers

- With Locking Mechanism
- Each Door with centrally located label holder

D Legs

- Height = 180 mm
- Load Capacity : 400 Kg UDL

CL1-1950

Order no	P-CL1-1950
Dimension(mm)	1195 L x 500 D x 1950 H mm

Bay with Locker units



CTBL1-1770

Order no	P-CTBL1-1770
Dimension(mm)	377 L x 500 D x 1770 H

Color Options





RAL 2008 RAL 7016 RAL 5012 RAL 7035

Storage Cupboard
Series P - SCB

-Storage Cupboard overall Dimension : 1025 mm L x 555 mm D x 2000 H mm
-Steel Cabinet : 995 mm L x 500 mm D x 1850 mm H
-Height Adjustable shelves
-3 Drawers : 905 mm L x 445 mm D x 85 mm H, Normal Extension.
-Leaf Doors with Perforated Panels

A Cabinet

- 1025 L x 555 D x 2000 H mm
- Usable Dimension : 995 x 500 x 1850 H mm
- Load Capacity : UDL800Kg

B Adjustable Shelves

- 8 Numbers , Galvanized shelves
- Usable Dimension:
  995 L x 250/345/500 D x 35 H mm
- Load Capacity : 25 , 50 , 100 Kg UDL

C Storage Containers

- Polypropylene Container
- Size 1: 160/140 x 95 x 75 h mm, 40 No
- Size 2: 230/200 x140 x130 h mm, 44 No
- Size 3A2: 350/300 x 200 x 145 h mm, 40 No

D Doors with perforated Panels

- Leaf Door with Perforated Panel

E Drawers

- 3 Drawers, 905 x 445 x 85 h mm
- Normal Extension (87%)
- Load Capacity : 50 Kg

SCB1-2000

Order no	P-SCB1-2000
Dimension(mm)	1025 L x 555 D x 2000 H mm

Storage Containers

STC1-75

Order no	P-STC1-75
Dimension (mm)	Size 1 : 160/140 x 95 x 75 h

STC2-130

Order no	P-STC2-130
Dimension (mm)	Size 2 : 230/200 x 140 x 130 h

STC3-145

Order no	P-STC3-145
Dimension (mm)	Size 3 : 350/300 x 200 x 145 h

Adjustable Shelves



ATS1-995

Order no	P-ATS1-995
Dimension(mm)	995 x 250/345/500 x 35 H

Drawers

DW1-905

Order no	P-DW1-905
Dimension(mm)	905 x 445 x 85 H

Color Options

RAL 2008 RAL 7016 RAL 5012 RAL 7035

Storage Cupboard
Series P - SCB

-Storage Cupboard overall Dimension : 1025 mm L x 555 mm D x 2000 H mm
-Steel Cabinet : 995 mm L x 500 mm D x 2000 mm H
-Height Adjustable shelves
-1` Drawer : 905 mm L x 445 mm D x 85 mm H, Normal Extension.
-Leaf Doors

A Cabinet

- 1025 L x 555 D x 2000 H mm
- Usable Dimension : 995 x 500 x 1850 H mm
- Load Capacity : UDL800Kg

B Adjustable Shelves

- 4 Numbers , Galvanized shelves
- Usable Dimension:
  995 L x 500 D x 35 H mm
- Load Capacity : 100 Kg UDL

C Drawers

- 3 Drawers, 905 x 445 x 85 h mm
- Normal Extension (87%)
- Load Capacity : 50 Kg

D Doors

- Leaf Door

SCB2-2000

Order no	P-SCB2-2000
Dimension(mm)	1025 L x 555 D x 2000 H mm

Adjustable Shelves



ATS1-995

Order no	P-ATS1-995
Dimension(mm)	995 x 250/345/500 x 35 H

Drawers

DW1-905

Order no	P-DW1-905
Dimension(mm)	905 x 445 x 85 H

Color Options

RAL 2008 RAL 7016 RAL 5012 RAL 7035

RAL 7035

Storage Cabinet

Series P - SCBT

-Storage Cabinet overall Dimension : 1025 mm L x 450 mm D x 2000 H mm
-Sliding Doors
-Height Adjustable shelves

A Cabinet

- 1025 L x 450 D x 2000 H mm
- Usable Dimension : 999 x 370 x 1850 H mm
- Load Capacity : UDL 800 Kg

B Adjustable Shelves

- 5 Numbers , Galvanized Shelves
- Usable Dimension : 995 L x 370 D x 35 H mm
- Load Capacity : 100 Kg UDL

C Sliding Doors

- 2 Sliding Doors
- Damper Proof Locking Mechanism
- Guide Rails for Easy to Slide

SCBT1-2000

Order no	P-SCBT1-2000
Dimension(mm)	1025 L x 450 D x 2000 H mm

Adjustable Shelves



ATS1-995

Order no	P-ATS1-995
Dimension(mm)	995 x 370 x 35 h mm

Color Options

RAL 2008

RAL 7016

RAL 5012

RAL 7035

Storage Cabinet
Series P - SCBT

-Storage Cabinet overall Dimension : 2045 mm L x 600 mm D x 2000 H mm
-Sliding Doors
-Height Adjustable shelves

A Cabinet

- 2045 L x 600 D x 2000 H mm
- Usable Dimension : 995 x 500 x 1850 H mm
- Load Capacity : UDL 800 Kg

B Adjustable Shelves

- 8 Numbers , Galvanized Shelves
- Usable Dimension : 995 L x 370 D x 35 H mm
- Load Capacity : 100 Kg UDL

C Sliding Doors

- 2 Sliding Doors
- Damper Proof Locking Mechanism
- Guide Rails for Easy to Slide

SCBT2-2000

Order no	P-SCBT2-2000
Dimension(mm)	2045 L x 600 D x 2000 H mm

Adjustable Shelves

ATS1-995

Order no	P-ATS1-995
Dimension(mm)	995 x 370 x 35 h mm

Color Options

RAL 2008 RAL 7016

RAL 5012 RAL 7035

Company Milestones

Future
New facility for Electro-Chemical Division at Aerospace Technopark by 2018-19

2013
Shifting of Furniture Division to Bidadi.
Signing of Joint Venture MOU with LiKO-S, Czech Republic
Construction of another hanger for Furniture Division & LiKO-S Assembly line

Gold Plating process qualification on Aluminium, Kovar, Invar & SS for space application by SAC, Ahemedabad

2012
CII-Exim Bank Award Commendation fro Strong Commitment to Excel.
Young Achiver Award by TATA DOCOMO & Peenya Industrial Association

2011
Kaigarika Rathna Award by KASSIA
Selected fro study mission SME Best practices in service excellence, Tokyo, Japan

2010
New Engineering Division formed in new facility at Bidadi

3 National Awards from MSME
Part of business delegation from MSME sector to Trinidad & Tobago, Grenada and Dominica.

2009
Received National Award from MSME for R&D efforts.
Indian Achiever Award for Industrial Development fromAll India Achievers Foundation, New Delhi

2008
Construction of additional hanger in Nelamangala for Furniture Division

Young Indian enntrepreneur to represent India in "APO-Honda Foundation Joint Conference on Entrepreneurship in Asia" Japan

2006
Additional New facility with 2.5 acre at Nelamangala, Bangalore.
Installed state of art wood working machines imported from Germany

2003
Moved entire operations to new own facility.
Pushpak Industrial Services was incorporated as Pushpak Products India P. Ltd

2000
Established Anodizing plant using knowledge and support from ISRO

1997
Moved entire operations to own building at Jalahalli 3000 sqft
Started production of Chairs

1992
Started first generation company with 5 employees, zero investment, 450 sqft

Infrastructure

Achievements

Received **NATIONAL AWARD 2008** from Govt. of INDIA Ministry of MSME for

Special Recognition of Outstanding R & D achievement

New Delhi. 2009

Received **NATIONAL AWARD 2009** from Govt. of INDIA Ministry of MSME for

Outstanding R & D achievement and Outstanding Entrepreneurship

New Delhi. 2010

Received

KASSIA Kaigarika Rathna Award 2011

Entrepreneur of the year

Bangalore. 26 May 2011

NATIONAL AWARDS

Quality Management System

Certificate No.: 001-15009-Q

Certificate of Approval

This is to certify that the **Quality Management System**

at

Pushpak Products India Pvt. Ltd.

Plot No. 22 E-1 & E-2, Pushpak Techno Park, Bidadi Industrial Area, Ramanagara, Karnataka

has been examined by Assessors of **QMS Certification Services Pvt.Ltd.** and found to be conforming to the requirements of

ISO 9001:2008

In respect of the following activities:

Design, Development, Manufacture and Supply of Ground & Material Handling equipments like Trolleys, Pallets etc and Furnitures

This certificate is valid from 16/07/2015 to 15/07/2018*
Original Certification 16/07/2015

Sanjay Kaushik
Managing Director

Environmental Management System

Certificate No.: 001-15009-E

Certificate of Approval

This is to certify that the **Environmental Management System**

at

Pushpak Products India Pvt. Ltd.

Plot No. 22 E-1 & E-2, Pushpak Techno Park, Bidadi Industrial Area, Ramanagara, Karnataka

has been examined by Assessors of **QMS Certification Services Pvt. Ltd.** and found to be conforming to the requirements of

ISO 14001:2004

In respect of the following activities:

Design, Development, Manufacture and Supply of Ground & Material Handling equipments like Trolleys, Pallets etc and Furnitures

This certificate is valid from 16/07/2015 to 15/07/2018*
Original Certification 16/07/2015

Sanjay Kaushik
Managing Director

Occupational Health & Safety Management System

Certificate No. 001-15009-O

Certificate of Approval

This is to certify that the **Occupational Health and Safety Management System**

at

Pushpak Products India Pvt. Ltd.

Plot No. 22E-1 & E-2, Pushpak Techno Park, Bidadi Industrial Area, Ramanagara, Karnataka

has been examined by Assessors of **QMS Certification Services Pvt. Ltd.** and found to be conforming to the requirements of

OHSAS 18001:2007

In respect of the following activities:

Design, Development, Manufacture and Supply of Ground & Material Handling equipments like Trolleys, Pallets etc and Furniture's

This certificate is valid from 16/07/2015 to 15/07/2018*
Original Certification 16/07/2015

Sanjay Kaushik
Managing Director

PUSHPAK

WE MAKE IT POSSIBLE

HEAD OFFICE :

Pushpak Products India Pvt. Ltd.
303, "Pushpak" MES Ring Road,
Jalahalli, Bangalore - 560 013,
Karnataka, India

Tel: +91 80 2838 2031
Fax: +91 80 2838 9090
Email: vision@pushpak.com
www.pushpak.com